

# United States Patent and Trademark Office



UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO. 5616	
09/874,191	06/04/2001	Shell S. Simpson	10007667-1		
7590 09/06/2005		EXAMINER			
HEWLETT-PACKARD COMPANY			TUCKER, WESLEY J		
Intellectual Pro	perty Administration				
P.O. Box 272400			ART UNIT	PAPER NUMBER	
Fort Collins CO 80527-2400			2623		

DATE MAILED: 09/06/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

		1	Application No.	Applicant(s)				
			09/874,191	SIMPSON ET AL.				
	Office Action Summary		Examiner	Art Unit				
			Wes Tucker	2623				
 Period for	The MAILING DATE of this commun Reply	ication appea	ars on the cover sheet with the c	orrespondence address				
THE M/ - Extension after SD - If the pe - If NO pe - Failure to Any rep	RTENED STATUTORY PERIOD F AILING DATE OF THIS COMMUN ons of time may be available under the provisions (6) MONTHS from the mailing date of this commended for reply specified above is less than thirty (3) ariod for reply is specified above, the maximum state or reply within the set or extended period for reply by received by the Office later than three months appeared term adjustment. See 37 CFR 1.704(b).	ICATION. c of 37 CFR 1.136( nunication. d) days, a reply w atutory period will will, by statute, ca	(a). In no event, however, may a reply be timenthin the statutory minimum of thirty (30) days apply and will expire SIX (6) MONTHS from ause the application to become ABANDONE	ely filed  will be considered timely. the mailing date of this communication.  0 (35 U.S.C. § 133).				
Status								
1)⊠ R	esponsive to communication(s) file	ed on <i>02 Auc</i>	nust 2005					
·	Responsive to communication(s) filed on <u>02 August 2005</u> .  This action is <b>FINAL</b> .  2b) This action is non-final.							
· <u> </u>		<i>,</i> —		secution as to the merits is				
-	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.							
Dispositio	n of Claims							
5)□ C 6)図 C 7)□ C	laim(s) <u>1-10,12-19 and 21-23</u> is/ar  a) Of the above claim(s) is/a laim(s) is/are allowed. laim(s) <u>1-10,12-19 and 21-23</u> is/ar laim(s) is/are objected to. laim(s) are subject to restrict	re withdrawn	from consideration.					
Application	n Papers							
9)□ Th	e specification is objected to by th	e Examiner.						
10)⊠ Th	10)⊠ The drawing(s) filed on <u>04 June 2001</u> is/are: a)⊠ accepted or b)□ objected to by the Examiner.							
	oplicant may not request that any obje			•				
R	eplacement drawing sheet(s) including	the correction	n is required if the drawing(s) is obj	ected to. See 37 CFR 1.121(d)				
11) 🗌 Th	e oath or declaration is objected to	by the Exar	miner. Note the attached Office	Action or form PTO-152.				
Priority un	der 35 U.S.C. § 119							
a)	cknowledgment is made of a claim  All b) Some * c) None of:  Certified copies of the priority  Certified copies of the priority  Copies of the certified copies  application from the Internation  the attached detailed Office action	documents I documents I of the priority nal Bureau (	have been received. have been received in Application of documents have been received (PCT Rule 17.2(a)).	on No d in this National Stage				
Attachment(s	)							
	f References Cited (PTO-892)		4) Interview Summary					
3) 🔲 Informat	f Draftsperson's Patent Drawing Review (P ion Disclosure Statement(s) (PTO-1449 or o(s)/Mail Date		Paper No(s)/Mail Da 5) Notice of Informal Pa 6) Other:	te atent Application (PTO-152)				

## **DETAILED ACTION**

## Continued Examination Under 37 CFR 1.114

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on August 2<sup>nd</sup> 2005 has been entered.

# Response to Arguments and Amendments

- 2. The amendment filed August 2<sup>nd</sup> 2005 has been entered and made of record.
- 3. Applicant has amended claims 1 and 12. Claims 11 and 20 are canceled. Claims 1-10, 12-19 and 21-23 are pending.
- 4. Applicant's remarks with regard to the currently pending independent claims have been entered and fully considered but are not persuasive for at least the following reasons:
- 5. With regard to claim 1, Applicant has added the limitation of the device firmware being part of the scanning device. Examiner submits that where the processing for storing and routing the image data is irrelevant to the operation of the

present invention. Some form of processor is inherent and must be used to route the data and since all scanners contain some form of processor capable of at least transporting the image data from the scanner to a device for display or storage then it would be obvious to enable the scanner in the reference of Ogawa to route scanned image data to personal image repositories. Applicant sites the administrative software in Ogawa for proof that Ogawa's scanner device does not contain firmware. However Examiner submits that the scanner must contain some form of firmware in order to interact and log in with the file server. The administration software serves to interact with the firmware or software or whatever is present in the scanner of Ogawa that allows it to log in with the file server. Further the new reference of U.S. Patent 6,426,806 to Melen is cited to teach a scanning and routing networked embodiment that teaches that the central processing unit responsible for performing the routing by identifying a code (column 2, lines 48-68) and then delivering the document to the location associated with the code (column 3, lines 1-11) can "reside either within the scanner 106 or outside scanner 106." Therefore whether the firmware performing resides within the scanner or just outside the scanner does not change the way in which the system functions.

# Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

Art Unit: 2623

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 12-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination U.S. Patent 6,115,739 to Ogawa et al. and U.S. Patent 6,426,806 to Melen.

With regard to claim 12, Ogawa discloses a method for transferring scanned imaging data from a scanning device to a personal imaging repository having one or more imaging data stores for storing the imaging data of a user and a composition store for storing imaging compositions having links to the imaging data, said method comprising:

Ogawa further discloses receiving the scanned imaging data (Fig. 2, element 12, column 2, lines 28-31).

Ogawa further discloses obtaining by the scanning device user information relating to the personal imaging repository that identifies an imaging data store and a composition store associated to the user (column 2, lines 30-35).

Connecting by the image scanning device with the imaging store of the personal imaging repository indicated from the user information (column 2, lines 34-42).

Transferring by the image scanning device the scanned imaging data to the imaging data store (column 2, lines 34-40); and

Storing by the image scanning device, in the composition data store associated to the user, a link reference that identifies a location of the scanned imaging data where the composition store maintains a plurality of link references to a plurality of imaging data that may be stored in separate imaging data stores (column 2, lines 34-42 and Fig. 1). The plurality of link references to a plurality of imaging data that may be stored in separate imaging stores is interpreted as the user lds that identify the user directory where the multiple imaging stores are the memories allocated to store the images.

Claim 12 has added the limitation of the underlined text above of performing the steps of the method by the image scanning device. Ogawa discloses that the administrative software serves to perform these functions (column 4, lines 30-40) but does not explicitly disclose that the scanner performs these operations. However, it is well known that scanners possess processors to perform the functions to, at the very least, transfer or display images. The reference of Melen discloses a scanning and routing networked embodiment that teaches that the central processing unit responsible for performing the routing by identifying a code (column 2, lines 48-68) and then delivering the document to the location associated with the code (column 3, lines 1-11) can "reside either within the scanner 106 or outside scanner 106" (column 2, lines 48-50). Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use a scanner or the processor residing in the scanner as taught by Melen to perform the functions disclosed by Ogawa.

Art Unit: 2623

With regard to claim 13, Ogawa discloses the method according to claim 12 further comprising the steps of: obtaining the link reference of the scanned image data stored in the imaging data store (Figs 4 and 5). Here the image file storage system is disclosed. The image files all have indexes and are considered to operate as link references.

Ogawa further discloses disconnecting from the imaging data store by the scanning device (column 2, lines 45-54). Here the file server is disconnected from the scanner.

With regard to claim 14, Ogawa discloses the method of claim 12 wherein said step of connecting with the imaging data store further comprising the steps of:

determining whether the connection with the imaging data store is successful (column 2, lines 50-54);

returning an error message to the user when the connection is not successful (column 2, lines 50-54); and,

converting the scanned imaging data into a predefined format (column 2, lines 65-68 and Fig. 11). Here the image is stored in .JBG and .TIF formats. The image can be stored in one standard format and then converted to another (column 9, lines 45-60).

With regard to claim 15, Ogawa discloses the method according to claim 14 wherein said predefined format is any from the group consisting of: JPEG, GIF, PNGF.

TIF, PDF, and Microsoft Windows bitmap format (Fig. 11). Here two image file formats are given as IMAGE.TIF and IMAGE.JBG.

With regard to claim 16, Ogawa discloses the method according to claim 12 where the storing comprising the step of obtaining a link reference of the scanned imaging data stored in the imaging data store (Figs. 4 and 5). All of the images in the image database have indexes interpreted as link references.

Ogawa further discloses connecting with the composition store of the personal imaging repository indicated from the user information (column 2, lines 30-40).

Ogawa further discloses creating an imaging composition having the link reference to the scanned imaging data stored in the personal imaging data store (column 2, lines 30-40).

Ogawa further discloses saving the imaging composition to the composition store (column 2, lines 30-40).

With regard to claim 17, Ogawa discloses the method according to claim 16 further comprising the steps of: setting the imaging composition as a selected composition available for service in the composition store (column 2, lines 30-40); and disconnecting from the composition store of the personal imaging repository (column 2, lines 45-54).

Art Unit: 2623

With regard to claim 18, Ogawa discloses the method according to claim 16 wherein prior to the step of creating an imaging composition further comprising the steps of: determining whether the connection with the composition store is successful; and, returning an error message to the user when the connection to the composition is not successful (column 2, lines 45-54). Here Ogawa discloses when the connection to the file server or image store is lost or disconnected, the user is notified.

With regard to claim 19, Ogawa discloses the method according to claim 16 wherein said step of creating an imaging composition further comprising the step of adding the link reference of the imaging data stored in the imaging data store to the imaging composition (Figs. 4 and 5). Here the directory is considered to be the image directory in which each image added to the file server is indexed or referred to with a link or index number.

With regard to claim 20, the use of a computer program product comprising a computer usable medium having computer readable program is inherent for a process involving the transfer or storage of digital images.

Ogawa further discloses that the program causes the computer to receive scanned image data (Fig. 2, element 12, column 2, lines 28-31);

Ogawa further discloses that the program causes the computer to obtain user information relating to a personal imaging repository of a user, the personal imaging repository including a plurality of imaging data stores and a composition store, the

Art Unit: 2623

composition store being configured to store references to stored imaging data associated with the user (column 2, lines 34-42). The plurality of imaging data stores is interpreted as the memories used in the imaging repository to store multiple images. The composition store configured to store references to stored imaging is interpreted as the area of memory that stores the user ID, which is interpreted as the reference or link indicating the location of the user imaging repository.

Ogawa further discloses that the program causes the computer to connect with a selected imaging data store of the personal imaging repository indicated from the user information (column 2, lines 34-42).

Ogawa further discloses that the program causes the computer to transfer scanned imaging data to the selected imaging data store (column 2, lines 34-42).

Ogawa further discloses that the program causes the computer to store a reference in the composition store that identifies a location of the scanned imaging data in the selected imaging data store (column 2, lines 34-42). Again the reference is interpreted as the user ID with which the user repository or directory is identified.

Claims 1-10 and 21-23 are rejected under 35 U.S.C. 103(a) as being unpatentable over the combination of U.S. Patent 6,115,739 to Ogawa and U.S. Patent 6,825,942 to Kamiyama et al. in view of U.S. Patent 6,426,806 to Melen.

Art Unit: 2623

With regard to claim 1, Ogawa discloses a system for transferring scanned imaging data from a scanning device to a personal imaging repository (abstract).

Ogawa further discloses a scanning device capable of scanning imaging data (Fig. 2, element 12, column 2, lines 28-31).

Ogawa further discloses the scanning device configured to obtain user information relating to a personal imaging repository associated with a particular user for storing data that is to be accessed by remote web services (column 2, lines 31-37). Here identification information about the user is used to direct scanned images to the corresponding directories over a network.

Ogawa further discloses a device firmware being part of the scanning device for storing scanned imaging data from the scanning device into said personal imaging repository (column 2, lines 28-32) and being configured to store a link reference to the scanned image data in a centralized data store associated to the particular user (column 2, lines 39-42). Here firmware is interpreted as a memory means in which the relationships of correspondence between identification information on users and the directories associated with the users are stored. The link reference is interpreted as the user information used to determine the directory associated with the user. A link reference is interpreted as a name or pointer that simply identifies where the file is found and the user ID in Ogawa does that.

Ogawa further discloses the personal imaging repository, but does not explicitly disclose wherein said imaging repository is an exchange infrastructure between the imaging data and the remote web services on the Internet by allowing the remote web

services to locate imaging data associated with the particular user by accessing the centralized data store.

As can best be interpreted from the specification, the present invention claims that the imaging repository consist of a centralized data store wherein links interpreted as file pointers or indexes to imaging data are stored and can be retrieved by outside web services. This is basically what the Internet or any network does in searching for files within a file structure or network. Kamiyama discloses an image information input apparatus that stores scanned image data and information about that data such as user information and storing the data according to the kind of image it is. The image can then be transferred to another location or web service or user or wherever according to a received request (column 2, lines 33-64). An exchange infrastructure is inherent to storing and retrieving image data in this way in a network environment. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use allow remote web services to locate imaging data of the users in Ogawa by using an exchange infrastructure as taught by Kamiyama in order to access images associated with a particular user wherever they are.

Claim 1 has been amended to add the limitation of the underlined text above of the device firmware being part of the scanning device. Ogawa discloses that the administrative software serves to perform these functions (column 4, lines 30-40) but does not explicitly disclose that the scanner performs these operations. However, it is well known that scanners possess processors to perform the functions to, at the very least, transfer or display images. The reference of Melen discloses a scanning and

routing networked embodiment that teaches that the central processing unit responsible for performing the routing by identifying a code (column 2, lines 48-68) and then delivering the document to the location associated with the code (column 3, lines 1-11) can "reside either within the scanner 106 or outside scanner 106" (column 2, lines 48-50). Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use a scanner or the processor residing in the scanner as taught by Melen to perform the functions disclosed by Ogawa.

With regard to claim 2, Ogawa discloses the system as defined in claim 1 wherein said personal imaging repository stores the imaging data in a plurality of file formats (column 9, lines 12-17). Here Ogawa describes a compression/expansion unit within the scanner for preserving the image data usually in the compressed format, but it is apparent that different formats can be used.

With regard to claim 3, Ogawa discloses the system as defined in claim 1 wherein said personal imaging repository comprises an imaging data store assigned to the user for storing imaging data (column 2, lines 30-35). Here Ogawa discloses directories or image stores associated with users.

With regard to claim 4, Ogawa discloses the system as defined in claim 1 wherein said personal imaging repository comprises a plurality of imaging data stores

for storing imaging data (column 2, lines 30-35). Here Ogawa discloses that multiple users have their own directories.

With regard to claim 5, Ogawa discloses the system as defined in claim 4 wherein one of said plurality of imaging data <u>stores</u> is assigned to the user for storing imaging data (column 2, lines 30-35). Each user has his/her own directory for storing images.

With regard to claim 6, Ogawa discloses the system as defined in claim 4 wherein one of said plurality of imaging data <u>stores</u> is assigned to a web service for storing imaging data provided by the web service (column 2, lines 55-65). The scanner is connected to a network and through that network is connected to a file server for image storage.

With regard to claim 7, Ogawa discloses the system as defined in claim 1 wherein the centralized data store comprises a composition store for storing imaging compositions of the imaging (column 2, lines 35-45). Here image data is stored in a file server according to the user information.

With regard to claim 8, Ogawa discloses the system as defined in claim 7 wherein said imaging composition comprises a link reference for each imaging data

Art Unit: 2623

(Figs 4 and 5). Here the image file storage system is disclosed. The image files all have indexes and are considered to operate as link references.

With regard to claim 9, Ogawa discloses the system as defined in claim 1 wherein said personal imaging repository is located on another data storage device that is linked to an imaging client (column 2, lines 55-65).

With regard to claim 21, Ogawa discloses a computer program product comprising a computer usable medium having computer readable program codes embodied in the medium that when installed in a scanning device linked to a personal imaging repository with an imaging data store for storing the imaging data and a composition store for storing imaging compositions with links to the imaging data, the product causes the scanning device to:

receive scanned imaging data (column 2, lines 30-40);

obtain user information relating to the personal imaging repository (column 2, lines 30-40);

connect with the imaging data store of the personal imaging repository indicated from the user information (column 2, lines 30-40); and,

transfer scanned imaging data to the imaging data store (column 2, lines 30-40).

Ogawa discloses where the program causes the computer to transfer a link to a composition store associated with the user, the composition store being configured to contain link references to a plurality of image data associated with the user (column 2,

lines 34-42), but does not disclose that the imaging data may be stored in different imaging data stores on remote devices.

Here the discussion of claim 1 applies. As can best be interpreted from the specification, the present invention claims that the imaging repository consist of a centralized data store wherein links interpreted as file pointers or indexes to imaging data are stored and can be retrieved by outside web services and wherein the link references can reference the images stored in data stores on remote devices. This is basically what the Internet or any network does in searching for files within a file structure or network. Kamiyama discloses an image information input apparatus that stores scanned image data and information about that data such as user information and storing the data according to the kind of image it is. The image can then be transferred to another location or web service or user or wherever according to a received request (column 2, lines 33-64). An exchange infrastructure is inherent to storing and retrieving image data in this way in a network environment. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use allow storage of image data in different imaging data stores on remote devices or to allow remote web services to locate imaging data of the users in Ogawa by using an exchange infrastructure as taught by Kamiyama in order to access images associated with a particular user wherever they are.

With regard to newly added claim 22, Ogawa discloses a computer program product comprising readable program codes that when executed causes a scanning

device to perform a method, the method comprising receiving references to a personal imaging repository of a user, the references including a data store reference that identifies an imaging data store for storing scanned image data and a composition store reference that identifies a composition store for storing link references to scanned image data associated with the user (column 2, lines 34-42). The personal imaging repository is the directory in which the images are stored and the composition store is where the user ID is stored and the link is the user ID which is used to link to the stored imaging data.

Ogawa further discloses transferring a scanned image data to the image data store using the data store reference (column 2, lines 34-42).

Ogawa further discloses obtaining a link reference to the scanned image data transferred to the image data store (column 2, lines 34-42). The linbk reference is user ID designating the directory.

Ogawa further discloses causing the link reference to be stored in a composition store identified by the composition store reference, but does not explicitly disclose where the composition store can be accessed by a plurality of remote web services to identify locations of scanned image data associated with the user.

As can best be interpreted from the specification, the present invention claims that the imaging repository consist of a centralized data store wherein links interpreted as file pointers or indexes to imaging data are stored and can be retrieved by outside web services. This is basically what the Internet or any network does in searching for files within a file structure or network. Kamiyama discloses an image information input

apparatus that stores scanned image data and information about that data such as user information and storing the data according to the kind of image it is. The image can then be transferred to another location or web service or user or wherever according to a received request (column 2, lines 33-64). An exchange infrastructure is inherent to storing and retrieving image data in this way in a network environment. Therefore it would have been obvious to one of ordinary skill in the art at the time of invention to use allow remote web services to locate imaging data of the users in Ogawa by using an exchange infrastructure as taught by Kamiyama in order to access images associated with a particular user wherever they are.

With regard to claim 23, the combination of Ogawa and Kamiyama disclose the computer program product of claim 22 and Kamiyama discloses where the locations of the scanned image data can include multiple remote locations (column 2, lines 50-55). Here Kamiyama discloses a plurality of terminals that can request image data. It is clear that there can be multiple remote locations where images can be stored and retrieved from in a networked environment.

Claim 10 is rejected under 35 U.S.C. 103(a) as being unpatentable over U.S. Patent 6,115,739 to Ogawa.

With regard to claim 10, Ogawa discloses the system as defined in claim 1, wherein said item is a smart card. Smart cards are well known in the computer arts to contain user specific information. Therefore it would have been obvious to one of

Application/Control Number: 09/874,191 Page 18

Art Unit: 2623

ordinary skill in the art at the time of invention to use a smart card to store user information. Examiner takes official notice.

## Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Wes Tucker whose telephone number is 571-272-7427. The examiner can normally be reached on 9AM-5PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Jingge Wu can be reached on 571-272-7429. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Wes Tucker

8-25-05

VIKKRAM BALI PRIMARY EXAMINER